



## TIDES TO STORMS

### PREPARING FOR NEW HAMPSHIRE'S FUTURE COAST

#### Assessing Risk and Vulnerability of Coastal Communities to Sea Level Rise and Storm Surge

*Seabrook - Hampton Falls – Hampton - North Hampton – Rye - New Castle - Portsmouth*

# TOWN OF HAMPTON FALLS, NEW HAMPSHIRE

## Vulnerability Assessment

of projected sea-level rise and coastal storm surge flooding



Prepared by the  
Rockingham Planning Commission

September 2015

## ACKNOWLEDGEMENTS

The Rockingham Planning Commission gratefully acknowledges the participation of staff and municipal officials from the Town of Hampton Falls in the preparation of this report.

### **Use and Applicability of this Report and Results:**

The purpose of this vulnerability assessment report is to provide a broad overview of the potential risk and vulnerability of state, municipal and public assets as a result of projected changes in sea-levels and coastal storm surge. This report should be used for preliminary and general planning purposes only, not for parcel level or site specific analyses. The vulnerability assessment performed was limited by several factors including the vertical accuracy of elevation data (derived from LiDAR) and the static analysis applied to map coastal areas subject to future flooding which does not consider wave action and other coastal dynamics. Also, the estimated flood impacts to buildings and infrastructure are based upon the elevations of the land surrounding them, not the elevation of any structure itself.

# PLANNING TO REDUCE RISK AND VULNERABILITY

*New Hampshire coastal municipalities are confronted by land use and hazard management concerns that include extreme weather events, storm surges, flooding and erosion. These issues are only intensified by recent increases in the frequency and intensity of extreme storm events and increases in sea level.*

**New Hampshire’s economy and quality of life have historically been linked to its shores, its vast expanses of productive saltmarshes and sandy beaches. Increased flooding has the potential to place coastal populations at risk, threaten infrastructure, intensify coastal hazards and ultimately impact homes, businesses, public infrastructure, recreation areas, and natural resources. Accounting for changes in sea**

**level and coastal storms will help lead to informed decisions for public and private investments by minimizing risk and vulnerability.**

## What is a Vulnerability Assessment?

A vulnerability assessment identifies and measures impacts of flooding from sea level rise and storm surge on built structures, human populations and natural environments. Factors that influence vulnerability include development patterns, natural features and topography. The assessment evaluates existing and future conditions such as:

- inland extent and depth of flooding
- impacts to natural and human systems
- changes in impacts between different flood levels

## How can the vulnerability assessment be used?

Information from a vulnerability assessment can help guide common sense solutions, strategies and recommendations for local governments, businesses, and citizens to enable them to adopt programs, policies, business practices and make informed decisions.

Planning for the long-term effects of sea level rise may also help communities better prepare in the short-term for periodic flooding from severe coastal storms.

## How will the vulnerability assessment benefit the community?

The Tides to Storms assessment is intended to assist coastal NH communities to take actions to prepare for increase flood risk, including:

- Enhance preparedness and raise community awareness of future flood risks.
- Identify cost-effective measures to protect and adapt to changing conditions.
- Improve resiliency of infrastructure, buildings and investments.
- Protect life, property and local economies
- Protect services that natural systems provide
- Preserve unique community character

Results from a vulnerability assessment can be incorporated into various municipal planning, regulatory and management documents such as:

Master Plan	Capital Improvement Plan	Land Conservation Plan
Zoning Ordinance	Site Plan Review Regulations	Subdivision Regulations
Roadway Management Plan	Stormwater Management Plan	Facilities Management Plan

# TABLE OF CONTENTS

MAPPING AND ASSESSMENT	IV
OVERVIEW	1
SUMMARY OF VULNERABILITY ASSESSMENT RESULTS	3
INFRASTRUCTURE AND CRITICAL FACILITIES	3
TRANSPORTATION	4
NATURAL RESOURCES	4
LAND USE	7
ISSUES AND CONSIDERATIONS	10
RECOMMENDATIONS	11
APPENDIX A – MAP SET	14



156 Water Street  
Exeter, NH 03833  
Phone: (603) 778-0885



This project is funded by New Hampshire Homeland Security and Emergency Management (HSEM) through a Pre-Disaster Mitigation Grant from the Federal Emergency Management Agency (FEMA).



Additional funding for this project provided by the NH Department of Transportation through Federal Highways Administration.

# MAPPING AND ASSESSMENT

## 1. VULNERABILITY ASSESSMENT: SEA LEVEL RISE AND STORM SURGE SCENARIOS

The *Tides to Storms* coastal vulnerability assessment project produced maps and statistical data about the potential impacts to New Hampshire's seven coastal municipalities from sea-level rise and storm surge to infrastructure, critical facilities transportation systems, and natural resources. Three sea-level scenarios were evaluated accounting for a range from the intermediate-low to the highest projected sea-levels at the year 2100.

Sea-Level Rise and Storm Surge Scenarios

Sea-Level Rise (SLR) Scenarios	SLR 1.7 feet	SLR 4.0 feet	SLR 6.3 feet	SLR 1.7 feet + storm surge	SLR 4.0 feet + storm surge	SLR 6.3 feet + storm surge
Sea Level Rise	1.7 feet	4.0 feet	6.3 feet	--	--	--
Sea-level Rise + Storm Surge	--	--	--	1.7 feet + Storm Surge	4.0 feet + Storm Surge	6.3 feet + Storm Surge

*Note: Storm surge is the area flooded by the 100-year/1% chance storm event.*

**Baseline:** Flooding from the sea-level rise scenarios and sea-level rise plus storm surge scenarios evaluated in this study were mapped from Mean Higher High Water (MHHW) which is 4.4 feet in the coastal region of NH. **Mean Higher High Water is the average of the higher high water height of each tidal day observed over the National Tidal Datum Epoch. The National Tidal Datum Epoch (NTDE) refers to the specific 19-year period adopted by the National Ocean Service as the official time segment over which tide observations are taken. The present NTDE is 1983 through 2001 and is considered for revision every 20-25 years (the next revision would be in the 2020-2025 timeframe).**<sup>1</sup>

**Storm Surge:** *Storm surge is the rise of water level accompanying intense coastal storm events such a tropical storm, hurricane or Nor'easter, whose height is the difference between the observed level of the sea surface and the level that would have occurred in the absence of the storm event.*<sup>2</sup> Storm surge is mapped using the 100-year/1% chance flood events from the Preliminary Flood Insurance Rate Maps (FIRMs) released by FEMA in 2014. The preliminary FIRM's account for the limit of moderate wave action in coastal areas, however this assessment does not take into account additional flooding and impacts related to more severe wave action, wind action, erosion and other dynamic coastal processes.

### Sea-Level Rise Scenarios

The sea-level rise projections used in this study are based on an earlier study completed in 2011 by Wake et al but are similar to a more recent report issued by the NH Coastal Risks and Hazards Commission's Science and Technical Advisory Panel in 2014. As shown in the graphics below, while slightly different than the scenarios cited in the 2014 report, the sea level rise scenarios used in the

<sup>1</sup> NOAA website at [http://tidesandcurrents.noaa.gov/datum\\_options.html](http://tidesandcurrents.noaa.gov/datum_options.html)

<sup>2</sup> EPA website at <http://epa.gov/climatechange/glossary.html>

Tides to Storms assessment yield coverage estimates of flooding that are within the mapping margin of error for the scenarios in both the 2011 and 2014 reports.

Figures 2 and 3 below document how the scenarios used in this report relate to 2011 by Wake et al but are similar to a more recent report issued by the NH Coastal Risks and Hazards Commission’s Science and Technical Advisory Panel in 2014.


	Lower Emissions (B1)		Higher Emissions (A1fi)	
	2050	2100	2050	2100
Current Elevation of MHHW <sup>a,b</sup>	4.43	4.43	4.43	4.43
100-Year Flood Height	7.78	7.78	7.78	7.78
Subsidence	0.012	0.016	0.012	0.016
Eustatic SLR	1.0	2.5	1.7	6.3
<b>Total Stillwater Elevation <sup>a,c</sup></b>	<b>13.2</b>	<b>14.7</b>	<b>13.9</b>	<b>18.5</b>

a - NAVD: North American Vertical Datum of 1988  
 b - MHHW: Mean Higher High Water at Fort Point, NH  
 c - Total Stillwater Elevation may not equal total of components due to rounding

Table 13. Preliminary estimates of future 100-year flood Stillwater elevations at the Fort Point Tide gauge under lower and higher emission scenarios (feet relative to NAVD<sup>a</sup>).

**Figure 2. 2011 Sea-Level Rise Scenarios (based on greenhouse gas emissions)**

Source: Wake CP, E Burakowski, E Kelsey, K Hayhoe, A Stoner, C Watson, E Douglas (2011) *Climate Change in the Piscataqua/Great Bay Region: Past, Present, and Future*. Carbon Solutions New England Report for the Great Bay (New Hampshire) Stewards.



**Figure 3. 2014 Sea-Level Rise Scenarios (based on greenhouse gas emissions)**

Source: Wake CP, Kirshen P, Huber M, Knuuti K, and Stampone M (2014) *Sea-level Rise, Storm Surges, and Extreme Precipitation in Coastal New Hampshire: Analysis of Past and Projected Future Trends*, prepared by the Science and Technical Advisory Panel for the New Hampshire Coastal Risks and Hazards Commission.

**ASSETS AND RESOURCES EVALUATED**

Table 1 lists the three major categories and a detailed list of the assets and resources evaluated as part of the Tides to Storms vulnerability assessment. The assets and resources evaluated are listed in subsequent tables in this report only if they are affected by one or more of the sea-level rise and/or coastal storm surge scenarios.

**TABLE 1. ASSETS AND RESOURCES EVALUATED FOR THE VULNERABILITY ASSESSMENT**

CATEGORY	ASSETS AND RESOURCES
<b>INFRASTRUCTURE AND CRITICAL FACILITIES</b>	Municipal Critical Facilities (identified in Hazard Mitigation Plans) NHDOT Transportation Infrastructure State and Municipal Culverts Federal and State Historic Register Properties Other Assets: fire and police stations, graveyards, schools, dams, power stations and substations, public water supply wells, harbors, bridges NHDOT Ten-year and Long Range Plan Projects
<b>ROADWAYS AND TRANSPORTATION ASSETS</b>	State and Local Roadways Regional and Municipal Evacuation Routes Urban Compact Areas
<b>NATURAL RESOURCES</b>	Freshwater and Tidal Wetlands Aquifers and Wellhead Protection Areas Land Conservation Plan for NH’s Coastal Watershed – Core Focus Areas Wildlife Action Plan – Tier 1 and Tier 2 habitats


**2. MAP DESIGN AND ORGANIZATION**

The Tides to Storms map set is comprised of two components: a map depicting the extent of projected flooding from the three sea-level rise scenarios in shades of green, and a map depicting the three sea-level rise plus storm surge scenarios in shades of pink. Each of the asset categorized evaluated are displayed on these two maps. Examples of the two scenario maps are shown on the following page.


## Extent of Flooding from Sea-Level Rise and Storm Surge

Green and pink color schemes are arranged from lightest to darkest with increasing flood levels and extents.

**Figure 4.**  
Sea-Level Rise 1.7 feet, 4.0 feet and 6.3 feet



**Figure 5.**  
Sea-Level Rise 1.7 feet, 4.0 feet and 6.3 feet with storm surge



*Note: Storm surge is the area flooded by the 100-year/1% chance storm event.*



# TIDES TO STORMS

## PREPARING FOR NEW HAMPSHIRE’S FUTURE COAST

### Assessing Risk and Vulnerability of Coastal Communities to Sea Level Rise and Storm Surge

*Seabrook - Hampton Falls – Hampton - North Hampton – Rye - New Castle - Portsmouth*

## TOWN OF HAMPTON FALLS, NEW HAMPSHIRE

### OVERVIEW

The Town of Hampton Falls is located along the north coastal area of New Hampshire comprising 8,231 acres including 5,683 acres of land and 2,548 acres of water and wetlands. With a population of 2,236 (2010 Census), Hampton Falls is the sixth most populated of the seven coastal municipalities. The coastal portion of Hampton Falls lies within the estuary known as Hampton/Seabrook Harbor, an area comprised of critical salt marshes and tidal mud flats.

### Vulnerability Assessment Results

Key findings for the Town of Hampton Falls are reported in the table below based on evaluation of the 1.7 feet intermediate-low, 4.0 feet intermediate, and 6.3 feet highest sea-level rise projections at the year 2100 and the sea-level rise projections with the 100-year storm surge.

The assessment indicates that in Hampton Falls state and local roadways, infrastructure, upland, and freshwater and tidal wetlands are vulnerable to flooding from sea level rise and coastal storm surge. As shown on [Maps 5 and 6](#), Route 1 at the Hampton border and adjacent to Whittier Pond are vulnerable to flooding at the 6.3 foot sea-level rise scenario, and low-lying upland areas east of Route 1 are at risk of flooding from the 4.0 sea-level rise scenario. Increased daily tidal flooding of tidal marsh systems diminishes their flood storage capacity during storm events, although this may be partially offset by inundation of freshwater wetlands. Models indicate potential for migration of tidal marsh systems inland.

**TABLE 2. SUMMARY OF ASSESSMENT DATA**

Sea-Level Rise (SLR) Scenarios	SLR 1.7 feet	SLR 4.0 feet	SLR 6.3 feet	SLR 1.7 feet + storm surge	SLR 4.0 feet + storm surge	SLR 6.3 feet + storm surge
Infrastructure (# of sites)	2	6	11	11	18	27
Critical Facilities (# of sites)	0	0	0	0	0	1
Roadways (miles)	0.0	0.1	0.3	0.2	0.4	0.7
Upland (acres)	121.3	187.4	252.3	237.4	305.6	383.7
Freshwater Wetlands (acres)	3.3	12.1	18.4	17.0	23.4	29.2
Tidal Wetlands (acres)	119.7	122.5	122.7	122.7	122.8	122.8
Conserved and Public Lands (acres)	49.7	67.7	82.3	79.3	91.0	98.9
100-year floodplain (acres)	1,105.7	1,203.3	1,207.8	1,207.4	1,208.2	1,208.6
500-year floodplain (acres)	1,105.7	1,203.7	1,234.0	1,232.7	1,236.0	1,237.1

The complete detailed vulnerability assessment information and recommendations are provided in the following sections of this report.

## SUMMARY OF VULNERABILITY ASSESSMENT RESULTS BY ASSET TYPE

### INFRASTRUCTURE AND CRITICAL FACILITIES

*Maps 3 and 4 Critical Facilities and Infrastructure* shows state and municipal infrastructure types affected by sea-level rise and coastal storm surge flooding. Table 3 reports when specific infrastructure types are affected by each sea-level rise and coastal storm surge scenario.

As shown on *Maps 3 and 4*, culverts are the most frequently impacted type of infrastructure from both projected sea-level rise and coastal storm surge flooding. Of particular concern are those culverts that currently function as freshwater conveyance systems that may be impacted by tidal flooding in the future. Freshwater culverts are not designed for bi-direction flow or the volume of water resulting from tidal flooding.

**TABLE 3. INFRASTRUCTURE (# of facilities)**

Sea-Level Rise (SLR) Scenarios	SLR 1.7 feet	SLR 4.0 feet	SLR 6.3 feet	SLR 1.7 feet + storm surge	SLR 4.0 feet + storm surge	SLR 6.3 feet + storm surge
<b>Culverts</b>	0	1	4	4	6	7
<b>Dams</b>	1	1	2	2	3	5
<b>Public Water Supply, Pump Houses, Wells</b>	0	0	0	0	3	9
<b>Other Transportation Infrastructure</b>						
<b>Bridges</b>	1	3	4	4	5	5
<b>Public Transportation Facility</b>	1	1	1	1	1	1
<b>Total # of Sites</b>	<b>3</b>	<b>6</b>	<b>11</b>	<b>11</b>	<b>18</b>	<b>27</b>

**Dams.** Dam locations indicated on the Tides to Storms maps are based on data maintained by NHDES Dam Bureau of all dams in the state and represent both active and inactive dams that require regular state inspections, and those dams that are in ruins or exempt from state inspections due to small size and hazard status (most of these dams impound stormwater detention ponds). Additional information in this data layer include the dam name, impounded waterbody, drainage area, impoundment acreage, dam height, dam construction type, ownership (state, municipal, or private), dam status (active, inactive, ruins, exempt), and hazard classification. Dam hazard classifications are a ranking of the potential for the loss of life or property damage if a dam were to fail; there are no dams within the focus area of this project ranks as high hazard dams. Additional information regarding dams can be found at <http://des.nh.gov/organization/divisions/water/dam/index.htm>.

**Definition of a Bridge.** Per RSA 234:2, a bridge defines a bridge as a structure, having a clear span of 10 feet or more measured along the center line of the roadway at the elevation of the bridge seats, spanning a watercourse or other opening or obstruction, on a public highway to carry the traffic across, including the substructure, superstructure and approaches to the bridge. This definition includes a combination of culverts constructed to provide drainage for a public highway with an overall combined span of 10 feet or more and a distance between culverts of half the diameter or less of the smallest culvert.

**Bridges Evaluated.** Bridges identified as “impacted” by sea-level rise and/or storm surge scenarios indicates that the bridge and its infrastructure are located within the extent of the scenario. There has been no analysis to determine if the bridge, or any part of its structure is impacted.

*Maps 3 and 4 Critical Facilities and Infrastructure* shows the municipal critical facilities affected by sea-level rise and coastal storm surge flooding. Table 4 reports when specific municipal critical facilities are affected by each sea-level rise and coastal storm surge scenario.

The Town of Hampton Falls does not have any municipal critical facilities at risk.

**TABLE 4. MUNICIPAL CRITICAL FACILITIES (# of facilities)**

Sea-Level Rise (SLR) Scenarios	SLR 1.7 feet	SLR 4.0 feet	SLR 6.3 feet	SLR 1.7 feet + storm surge	SLR 4.0 feet + storm surge	SLR 6.3 feet + storm surge
Fire Station	0	0	0	0	0	0
Police Station	0	0	0	0	0	0
<b>Total - Sites</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

Note: Municipal Critical Facilities as identified in the town’s Hazard Mitigation Plan.

## TRANSPORTATION

*Maps 5 and 6 Road and Transportation Assets* show the state and municipal roadways affected by sea-level rise and coastal storm surge flooding. Table 5 reports the miles of state and local roadways affected by each flood scenario.

Unlike abutting communities, the municipal roadway network in Hampton Falls is not particularly sensitive to sea-level rise and coastal storm flooding. It is important to note that there are sections of locally maintained roads that will flood as a result of sea level rise, including Depot Road, Brimmer Lane, and Marsh Lane.

**TABLE 5. STATE AND MUNICIPAL ROADWAYS AND INFRASTRUCTURE (miles)**

Sea-Level Rise (SLR) Scenarios	SLR 1.7 feet	SLR 4.0 feet	SLR 6.3 feet	SLR 1.7 feet + storm surge	SLR 4.0 feet + storm surge	SLR 6.3 feet + storm surge
<b>Roadway Type</b>						
Local	0.0	0.1	0.2	0.2	0.2	0.4
State	0.0	0.0	0.0	0.0	0.0	0.0
<b>Total Road Miles</b>	<b>0.0</b>	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.4</b>
<b>Guardrail</b>	0.0	0.0	0.0	0.0	0.1	0.2
<b>Bike Routes</b>	0.0	0.0	0.0	0.0	0.0	0.1
<b>Evacuation Routes</b>	0.0	0.0	0.1	0.1	0.2	0.3

## NATURAL RESOURCES

*Maps 7 and 8 Conservation Areas* and *Map 9 and 10 Wetlands, Aquifers, Wellhead Protection Areas* show natural resources affected by sea-level rise and coastal storm surge flooding. Table 6 reports the number of acres for each natural resource affected by each sea-level rise and coastal storm surge scenario.

Hampton Falls is proud of efforts to prevent development in wetlands and floodplains, as well as efforts to protect critical open space from development. Salt marsh, sand dunes and sand beaches provide natural protection against floods and storm surge. *Maps 9 and 10* indicate that tidal wetland systems and freshwater wetlands in the Hampton/Seabrook estuary will be heavily impacted by flooding from sea-level rise. In addition to providing flood storage, these systems provide critical wildlife habitat. Changes in the daily tidal condition and seasonal high tides will affect the stability of these systems and their ability to sustain surface elevations that keep pace with rising water levels.



**TABLE 6. NATURAL RESOURCES (acres)**

Sea-Level Rise (SLR) Scenarios	SLR 1.7 feet	SLR 4.0 feet	SLR 6.3 feet	SLR 1.7 feet + storm surge	SLR 4.0 feet + storm surge	SLR 6.3 feet + storm surge
Surface Water	0.0	30.4	30.8	30.8	30.9	31.0
Aquifers	0.0	0.0	0.0	0.0	0.0	0.0
Freshwater Wetlands	3.3	12.1	18.4	17.0	23.4	29.2
Tidal Wetlands	119.7	122.5	122.7	122.7	122.8	122.9
Wildlife Action Plan – Focus Areas	599.0	671.2	784.4	732.5	801.5	872.7
Coastal Conservation Plan Focus Areas	134.4	214.9	269.5	257.6	308.0	356.6
Conserved and Public Lands	49.7	67.7	82.3	79.3	91.0	98.9
Agriculture Soils (All Types)	18.4	58.6	111.2	98.6	155.2	220.9


**SEA LEVEL AFFECTING MARSHES MODEL (SLAMM): HAMPTON FALLS**

From: A Natural Choice: Conservation and Restoration Options to Enhance Coastal Resiliency in New Hampshire (NH Fish & Game, DRAFT September 2015)


Currently, 823 acres of salt marsh lie within Hampton Falls. At the 3.9 feet sea level rise by 2100 scenario there is potential for 114 acres of new marsh to form and at the 6.6 feet scenario there is potential for 165 acres.



Protecting land where salt marsh can potentially migrate is a good strategy to enhance coastal resiliency. Of the opportunities available, the areas circled below are priority areas for conservation as they are particularly large, currently mainly undeveloped, and are robust as they remain under the highest sea level rise scenario modeled.



There are several opportunities to remove or modify barriers to tidal flow, although not all will be logistically feasible. Potential opportunities are shown in blue on the map below. The Taylor River is one of two particularly large tidal connection restorations in the state that are particularly robust in terms of likely duration. Another opportunity of note is Dodge Ponds.



## LAND USE

*Maps 1 and 2 Extent of Flooding* show upland affected by sea-level rise and coastal storm surge flooding above mean higher high water. Table 7 reports the number of acres of upland affected by each flood scenario.

Low-lying upland areas east of Route 1, in the interior fringe areas of the Hampton-Seabrook Estuary, are highly susceptible to flooding even at the lowest 1.7 foot sea-level rise scenario. Some of these uplands are the result of filling tidal marshes decades ago to create developable land. Over time, the underlying marsh sediments and material continue to subside, lowering the land elevation.

**TABLE 7. UPLAND (acres)**

Sea-Level Rise (SLR) Scenarios	SLR 1.7 feet	SLR 4.0 feet	SLR 6.3 feet	SLR 1.7 feet + storm surge	SLR 4.0 feet + storm surge	SLR 6.3 feet + storm surge
<b>Acres</b>	121.3	187.4	252.3	237.4	305.6	383.7
<b>% Upland</b>	1.6	2.4	3.2	3.0	3.9	4.9

Total Upland in Hampton Falls = 7,802.2 acres. Upland refers to land above mean higher high water (highest tidal extent).

### Land Use/Land Cover

*Map 14 Regional Land Use* shows land use/land cover types affected by sea-level rise and coastal storm surge flooding. Table 8 reports the number of acres for each land use/land cover type affected by each flood scenario.

**TABLE 8. LAND USE/LAND COVER (acres)**

Sea-Level Rise (SLR) Scenarios	SLR 1.7 feet	SLR 4.0 feet	SLR 6.3 feet	SLR 1.7 feet + storm surge	SLR 4.0 feet + storm surge	SLR 6.3 feet + storm surge
<b>Active Agricultural</b>	0.0	0.9	2.7	2.5	3.8	6.0
<b>Aux Transportation</b>	0.1	0.5	0.8	0.7	1.4	4.0
<b>Farmsteads</b>	0.0	0.0	0.0	0.0	0.0	0.1
<b>Forested</b>	10.1	55.0	105.2	94.2	142.7	192.2
<b>Industrial/Commercial</b>	0.0	0.0	0.3	0.1	2.2	5.7
<b>Mixed Urban</b>	0.0	0.0	0.0	0.0	0.0	0.0
<b>Other/Idle</b>	125.9	142.8	149.9	148.4	154.9	162.6
<b>Playing fields / Recreation</b>	0.1	0.5	1.3	1.0	3.5	8.5
<b>Railroad</b>	0.1	0.6	1.1	1.0	1.4	2.3
<b>Residential</b>	0.1	0.6	1.1	1.0	1.4	2.3
<b>Transportation</b>	0.4	3.0	6.5	5.4	10.7	15.8
<b>Utilities</b>	0.0	0.4	1.0	0.9	1.7	3.1
<b>Water</b>	1.1	31.3	31.9	31.8	32.1	32.1
<b>Wetlands</b>	125.9	142.8	149.9	148.4	154.9	162.6

The land use types most impacted by both sea-level rise and coastal storm surge flooding are land classified as Forested and Other or Idle, (undeveloped or disturbed lands, unclassified lands). There are pockets of development in Hampton Falls in the interior fringe areas of the Hampton-Seabrook Estuary, primarily residential structures, both permanent owner-occupied dwellings and seasonal rental units.

**Zoning**

*Map 13 Regional Zoning* shows local zoning districts affected by sea-level rise and coastal storm surge flooding. Table 9 reports the acres within each zoning district affected by each flood scenario. Zoning districts are superimposed over land use and land cover.

Flood impacts in existing zoning districts will result in single-family and medium-density residential and commercial development showing sensitivity at the lowest 1.7 foot sea-level rise scenario and all storm surge scenarios.

**TABLE 9. ZONING DISTRICTS (acres)**

Sea-Level Rise (SLR) Scenarios	SLR 1.7 feet	SLR 4.0 feet	SLR 6.3 feet	SLR 1.7 feet + storm surge	SLR 4.0 feet + storm surge	SLR 6.3 feet + storm surge
<b>Zoning / Land Use</b>						
<b>General/Single Zone</b>	0.0	0.0	0.5	0.4	0.5	0.5
<b>Residential – Medium Density</b>	137.8	235.0	300.9	285.8	354.9	433.5

**Parcels and Assessed Value**

Table 10 reports the number of parcels affected by for each of the six scenarios evaluated and the aggregated assessed value of these parcels. The degree to which the parcel and any development on the parcel is affected by sea-level rise or storm related flooding was not analyzed. Affected parcels were identified based on their location either partially or fully within the extent of the scenarios evaluated. The data may include a number of high value parcels under state and municipal ownership.

For Hampton Falls, the largest increase in the number of affected parcels is the extent of flooding from the 1.7 feet to 4.0 feet sea-level rise scenario. there is an 16 percent increase in the number of affected parcels and nearly a \$19.5 million increase in assessed value from the 1.7 feet to the 4.0 feet sea-level rise scenarios. There is a 4.7 percent increase in the number of affected parcels and approximately a \$5.3 million increase in assessed value from the 4.0 feet to the 6.3 feet sea-level rise scenarios

**TABLE 10. PARCELS AND ASSESSED VALUE BY SCENARIO**

Sea-Level Rise (SLR) Scenarios	Number of Parcels Affected by scenario	Aggregate Value of Affected Parcels
<b>1.7 feet SLR</b>	237	\$18,004,600
<b>4.0 feet SLR</b>	276	\$37,463,800
<b>6.3 feet SLR</b>	289	\$42,794,300
<b>1.7 feet SLR + storm surge</b>	288	\$42,467,100
<b>4.0 feet SLR + storm surge</b>	293	\$44,493,700
<b>6.3 feet SLR + storm surge</b>	303	\$48,134,400

**FEMA Flood Hazard Areas**

*Maps 23 and 24 Preliminary FEMA Flood Hazard Areas* show areas within the 100-year and 500-year floodplain affected by sea-level rise and coastal storm surge flooding. Table 11 reports the acreage within the current 100-year and 500-year floodplains affected by each flood scenario.

Table 11 shows that sea-level rise will produce additional flooding within the current 100-year and 500-year floodplains.

**TABLE 11. FEMA FLOOD HAZARD AREAS (acres)**

Sea-Level Rise (SLR) Scenarios	SLR 1.7 feet	SLR 4.0 feet	SLR 6.3 feet	SLR 1.7 feet + storm surge	SLR 4.0 feet + storm surge	SLR 6.3 feet + storm surge
<b>100-year floodplain</b>	<b>1,105.7</b>	<b>1,203.3</b>	<b>1,207.8</b>	<b>1,207.4</b>	<b>1,208.2</b>	<b>1,208.6</b>
100-year floodplain - Coastal Region	8,179.5	9,361.1	9,593.2	9,639.0	9,765.8	9,818.0
<b>500-year floodplain</b>	<b>1,105.7</b>	<b>1,203.7</b>	<b>1,234.0</b>	<b>1,232.7</b>	<b>1,236.0</b>	<b>1,237.1</b>
100-year floodplain - Coastal Region	8,180.6	9,368.4	9,837.6	9,879.8	10,015.3	10,069.5

Area of the 100-year floodplain = 1,690.0 acres. Area of the 500-year floodplain = 1,875.0 acres.

Floodplain assessment based on Preliminary Flood Insurance Rate Maps (FIRMs) released by FEMA in 2014.

## ISSUES AND CONSIDERATIONS

The following issues and considerations were identified by Hampton Falls municipal staff and municipal board members and RPC staff.

- Ownership of transportation infrastructure and assets by multiple state agencies (roadways, culverts, state parks, parking areas) and town responsibility for management of assets (sidewalks, roads in urban compact areas) creates complexity in comprehensively managing these systems and implementing climate adaptation strategies.
- Improvements are needed to the state roadway network, Route 1, at Whittier Pond and Dick's Tire to prevent flooding of the road. Town officials recommend raising Route 1 and installing a larger culvert.
- Improvements underway currently on I-95 in Hampton Falls will improve flow of the Taylor River.
- Although roadways, buildings and infrastructure can be protected by raising them above projected sea-level rise elevations, supporting land and land based uses may be impacted by daily tidal flooding from projected sea-level rise.
- Planning for long term sea-level rise can be integrated with existing regulatory and management frameworks for the current 100-year floodplain.
- Providing information about potential flood hazards to businesses and residents, and early notification of flood risk during a coastal storm event would enhance public safety and preparedness.
- Long term infrastructure management would benefit from an analysis of the costs necessary to improve roads and drainage infrastructure to withstand projected sea-level rise elevations at 2050 and 2100.

## RECOMMENDATIONS

The following recommendations are short-term climate adaptation actions that can be included in the town's Natural Hazards Mitigation Plans, Master Plan and other planning and policy documents. These actions are focused on strengthening land use development standards, resource protection, municipal policy and plans, and public support to create more resilient development, infrastructure and natural systems. *Refer to Appendix B for an expanded list of climate adaptation strategies.*

### REGULATORY

**R1 - Elevate Structures 2 feet Above Base Flood Elevation.** Adopt standards in floodplain zoning and/or Site Plan Review and Subdivision Regulations that require all new development and redevelopment to be elevated 2 feet above the base flood elevation. Two feet of additional elevation will ensure that structures are protected from flooding based on the highest sea-level rise projection of 2 feet by 2050.

**R2 - Coastal Flood Hazard Overlay District.** Adopt in the town's zoning ordinance a Coastal Flood Hazard Overlay District that includes performance based standards that protect against flood impacts from sea-level rise and coastal storm surge. Establish the overlay district boundaries based on current flood hazard areas on FEMA Flood Insurance Rate Maps and projected future high risk flood areas mapped by the Tides to Storms Vulnerability Assessment. (Also see similar recommendation in the Community Outreach and Engagement section below.)

**R3 - Coastal Buffers and Tidal Marshes.** Adopt buffers and setbacks that adequately separate development and infrastructure from tidal wetlands, freshwater wetlands and surface waters to sustain flood storage capacity, and allow for inland migration of tidal marsh systems and conversion of freshwater systems to tidal systems to accommodate projected changes in sea-levels. Incentives to further protect wetlands may include applying increased buffers and setbacks as mitigation for wetlands impacts from development

### PLANNING AND NON-REGULATORY

**P1 - Natural Hazards Mitigation Plan.** Incorporate the vulnerability assessment information and recommendations from the Tides to Storms profile report in the Town's next Natural Hazards Mitigation Plan update. Continue revising and updating the assessment information and climate adaptation recommendations in future updates of the Plan.

**P2 - Master Plan Coastal Hazards Chapter.** Adopt a Coastal Hazards Chapter in the town's Master Plan that incorporates information and recommendations from the Tides to Storms Vulnerability Assessment Profile for Hampton.

**P3 - FEMA Community Rating System.** Incentives to reduce flood insurance rate costs could be modeled after climate adaptation actions recommended by FEMA's Community Rating System (CRS) program. Climate adaptation implementation includes planning and policy, regulatory, non-regulatory, and community outreach and engagement activities.

**P4 - Capital Infrastructure and Investments.** Incorporate consideration of impacts from sea-level rise and coastal storm surge flooding in current and future capital infrastructure projects. Incorporate the Tides to Storms vulnerability assessment information into infrastructure management plans and capital improvement plans.

**P5 – Retreat Through Land Conservation.** Land conservation offers the greatest opportunities to provide for adaptation to the effects of sea-level rise and coastal storm flooding and climate change impacts.

- Identify lands in high risk areas to purchase for the purpose of removing development and infrastructure and restoring the land to a natural condition. This is a way to gradually retreat from areas highly susceptible to coastal flooding.
- Adopt a targeted scoring framework or incorporate new scoring criteria into existing land conservation prioritization efforts that consider climate adaptation benefits when evaluating land for purchase.

**P6 - Wetlands Mitigation Site Inventory.** Identify and inventory lands where protection of tidal and freshwater wetlands would provide tangible benefits to protect against flooding, and restoration opportunities to remove barriers to tidal function and marsh and migration. This inventory will allow the town to pre-identify and prioritize sites that can be permanently preserved as a mitigation strategy for wetland impacts from development in high risk coastal areas.

**P7 - Evacuation Planning.** Prepare evacuation plans and coordinate these plans with towns in the coastal region to implement timely and comprehensive planning and notification for coastal storm events.

## COMMUNITY OUTREACH AND ENGAGEMENT

**O1 – NH Coastal Adaptation Workgroup.** The NH Coastal Adaptation Workgroup (CAW) is a voluntary collaborative advocacy group consisting of members from federal and state agencies, regional and non-profit organizations, municipalities, academia, and private businesses. The group’s focus is to: 1) pursue activities that improve the resilience of natural systems, infrastructure and development to the impacts of climate change; and 2) facilitate communication and cooperation among stakeholders throughout the coastal watershed, especially in regard to research, programs and other efforts designed to help preserve, protect, and strengthen the Great Bay and Hampton-Seabrook Estuary. CAW can assist the Town with outreach, planning and regulatory activities involving climate adaptation implementation.

**O2 - Implement FEMA’s High Water Mark Initiative.** Communities implement the High Water Mark Initiative by providing information on past floods, such as documenting high water marks in public places, and posting maps and photographs of past floods on their websites.

**O3 - Coastal Flood Hazard Overlay Map.** Use the Coastal Flood Hazard Overlay District as a tool to inform property owners of existing and future risks and hazards based on projected sea-level rise and coastal storm surge flooding.

**O4 - Living Shorelines and Landscaping.** Maintaining natural shorelines is an effective way to preserve the functions of shoreline systems (marshes, dunes, estuaries) in providing valuable services including flood storage, recreational areas, and commercial harvesting of fish and shellfish.

- Provide information to property owners about living shorelines and the importance of retaining the functions of natural shorelines, and implementing landscaping best practices.
- Implement living shorelines projects on town lands to demonstrate best practices, and the benefits and effectiveness of living shorelines approaches.

**O5 – Historical and Cultural Resources Inventory.** Inventorying historical and cultural resources is the first step toward developing strategies to protect and preserve them.

*Refer to the Town of Hampton Falls Natural Hazards Mitigation Plan for additional recommendations for outreach and engagement activities.*

## APPENDIX A – MAP SET

- Map 1 Extent of Projected Tidal Flooding - SLR 1.7', 4.0' and 6.3'
- Map 2 Extent of Projected Tidal Flooding - SLR + Storm Surge
- Map 3 Critical Facilities and Infrastructure - SLR 1.7', 4.0' and 6.3'
- Map 4 Critical Facilities and Infrastructure - SLR + Storm Surge
- Map 5 Roads and Transportation Assets - SLR 1.7', 4.0' and 6.3'
- Map 6 Roads and Transportation Assets - SLR + Storm Surge
- Map 7 Existing and Recommended Conservation Areas - SLR 1.7', 4.0' and 6.3'
- Map 8 Existing and Recommended Conservation Areas - SLR + Storm Surge
- Map 9 Wetlands, Aquifers, Wellhead Protection Area - SLR 1.7', 4.0' and 6.3'
- Map 10 Wetlands, Aquifers, Wellhead Protection Area - SLR + Storm Surge
- Break in map numbering.*
- Map 13 Zoning Districts - SLR 1.7', 4.0' and 6.3'
- Map 14 Land Use/Land Cover - SLR 1.7', 4.0' and 6.3'
- Break in map numbering.*
- Map 17 Depth of Flooding - Sea-Level Rise 1.7'
- Map 18 Depth of Flooding – Sea-Level Rise 4.0'
- Map 19 Depth of Flooding – Sea-Level Rise 6.3'
- Map 20 Depth of Flooding – Sea-Level Rise 1.7' + Storm Surge
- Map 21 Depth of Flooding - Sea-Level Rise 4.0' + Storm Surge
- Map 22 Depth of Flooding – Sea-Level Rise 6.3' + Storm Surge
- Map 23 Preliminary FEMA Flood Hazard Areas - SLR 1.7', 4.0' and 6.3'
- Map 224 Preliminary FEMA Flood Hazard Areas - SLR + Storm Surge